

```
CREATE DATABASE IF NOT EXISTS _team01_project /*!40100 DEFAULT
CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci */; USE
_team01_project; -- MySQL dump 10.13 Distrib 8.0.21, for Win64 (x86_64)
-- Host: BusTartarus-KS.ad.colorado.edu Database: _team01_project --
-- Server version 8.0.12
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT
*/; /*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS
*/; /*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION
*/; /*!50503 SET NAMES utf8 */; /*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE
*/; /*!40103 SET TIME_ZONE='+00:00' */; /*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS,
UNIQUE_CHECKS=0 */; /*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS,
FOREIGN_KEY_CHECKS=0 */; /*!40101 SET @OLD_SQL_MODE=@@SQL_MODE,
SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */; /*!40111 SET
@OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;
```

---

– Table structure for table **attendance**

---

```
DROP TABLE IF EXISTS attendance; /*!40101 SET @saved_cs_client
= @@character_set_client */; /*!50503 SET character_set_client =
utf8mb4 */; CREATE TABLE attendance ( studentID int(11) NOT
NULL, studentFirstName char(30) DEFAULT NULL, studentLastName
char(30) DEFAULT NULL, attendanceCount int(11) DEFAULT NULL,
lastAttended varchar(20) DEFAULT NULL, program varchar(40) DE-
FAULT NULL, PRIMARY KEY (studentID), KEY program (program),
CONSTRAINT stuid_fk FOREIGN KEY (studentID) REFERENCES
students (ID) ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client =
@saved_cs_client */;
```

---

– Dumping data for table **attendance**

---

```
LOCK TABLES attendance WRITE; /*!40000 ALTER TABLE attendance
DISABLE KEYS */; INSERT INTO attendance VALUES (1033,'Gavin','Smith',12,'Thu,
Mar 12','Tigers'),(1034,'Elias','Smith',13,'Thu, Mar 12','Tigers'),(1035,'Davey','Smith',21,'Thu,
Mar 12','Youth Masters'),(1036,'Logan','Smith',21,'Wed, Mar 11','Inter-
mediate/ Advanced Panthers'),(1037,'Christopher','Smith',53,'Thu, Mar
12','Youth Masters'),(1038,'Camryn','Smith',19,'Wed, Mar 11','Youth
Masters'),(1039,'Tyler','Smith',12,'Thu, Mar 12','Intermediate/ Advanced Pan-
thers'),(1041,'Brylie','Smith',14,'Wed, Mar 11','Youth Masters'),(1042,'Cadi','Smith',16,'Wed,
Mar 11','Intermediate/ Advanced Panthers'),(1043,'Addisu','Smith',19,'Wed,
Mar 11','Youth Masters'),(1044,'Hawk','Smith',11,'Wed, Mar 11','Intermediate/
Advanced Panthers'),(1045,'Harper','Smith',3,'Wed, Mar 11','Intermediate/
Advanced Panthers'),(1046,'Cole','Smith',12,'Wed, Mar 11','Tigers'); /*!40000
```

```
ALTER TABLE attendance ENABLE KEYS /; UNLOCK TABLES;
```

---

– Table structure for table attendanceaudit

---

```
DROP TABLE IF EXISTS attendanceaudit; /!40101 SET @saved_cs_client
= @@character_set_client /; /!50503 SET character_set_client = utf8mb4
/; CREATE TABLE attendanceaudit ( studentID int(11) DEFAULT
NULL, studentFirstName char(30) DEFAULT NULL, studentLastName
char(30) DEFAULT NULL, attendanceCountMSRP int(11) DEFAULT NULL,
lastAttended varchar(20) DEFAULT NULL, program varchar(40) DEFAULT
NULL, lastUpdate timestamp NULL DEFAULT NULL, rowValue varchar(40)
DEFAULT NULL ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci; /!40101 SET character_set_client =
@saved_cs_client /;
```

---

– Dumping data for table attendanceaudit

---

```
LOCK TABLES attendanceaudit WRITE; /!40000 ALTER TABLE
attendanceaudit DISABLE KEYS /; /!40000 ALTER TABLE attendanceaudit
ENABLE KEYS /; UNLOCK TABLES;
```

---

– Table structure for table classes

---

```
DROP TABLE IF EXISTS classes; /!40101 SET @saved_cs_client =
@@character_set_client /; /!50503 SET character_set_client = utf8mb4
/; CREATE TABLE classes ( idclassSchedule int(11) NOT NULL,
Program varchar(45) NOT NULL, DayOfWeek varchar(45) NOT NULL, Time
time NOT NULL, Recurrence varchar(45) NOT NULL, PRIMARY KEY
(idclassSchedule), KEY idx_recurrence (Recurrence) ) ENGINE=InnoDB
DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /!40101
SET character_set_client = @saved_cs_client /;
```

---

– Dumping data for table classes

---

```
LOCK TABLES classes WRITE; /!40000 ALTER TABLE classes
DISABLE KEYS /; INSERT INTO classes VALUES (1,'Lil Nin-
jas','Monday','09:00:00','weekly'),(2,'Lil Ninjas','Monday','09:00:00','weekly'),(3,'Lil
Ninjas','Monday','09:00:00','weekly'),(4,'Lil Ninjas','Monday','09:00:00','weekly'),(5,'Lil
Ninjas','Monday','09:00:00','weekly'),(6,'Lil Ninjas','Monday','09:00:00','weekly'),(7,'Tigers','Tuesday','10:00:00',
masters','Thursday','15:00:00','weekly'),(10,'Youth masters','Thursday','15:00:00','weekly'),(11,'Youth
masters','Thursday','15:00:00','weekly'),(12,'Youth masters','Thursday','15:00:00','weekly'),(13,'Adults','Saturday
```

```
weekly'); !/40000 ALTER TABLE classes ENABLE KEYS /; UNLOCK  
TABLES;
```

---

– Table structure for table **contacts**

---

```
DROP TABLE IF EXISTS contacts; !/40101 SET @saved_cs_client =  
@@character_set_client /; !/50503 SET character_set_client = utf8mb4  
/; CREATE TABLE contacts ( studentID int(11) DEFAULT NULL,  
EmergencyContacts varchar(50) NOT NULL, Guardians varchar(50) DE-  
FAULT NULL, Emails varchar(150) DEFAULT NULL, PhoneNumber  
varchar(45) DEFAULT NULL, SecondaryPhones varchar(45) DEFAULT  
NULL, PRIMARY KEY (EmergencyContacts), KEY studentID (studentID),  
CONSTRAINT studentID FOREIGN KEY (studentID) REFERENCES  
students (ID) ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4  
COLLATE=utf8mb4_0900_ai_ci; !/40101 SET character_set_client =  
@saved_cs_client /;
```

---

– Dumping data for table **contacts**

---

```
LOCK TABLES contacts WRITE; !/40000 ALTER TABLE contacts DIS-  
ABLE KEYS /; INSERT INTO contacts VALUES (1041,'Bertruthany','Bertru','houseoftheunwanted@aol.com',  
788-9910,'707-172-7374'),(1034,'Captain Hook','Hook','ridindowntown@yahoo.com','444-  
555-6666','404-142-4344'),(1043,'Dwayne Johnson','The rock&Johnson','rockbigsmash@yahoo.com','151-  
161-7189','808-182-8384'),(1044,'Gary Yourofsky','Gary&God','Govegan@gmail.com','202-  
122-2324','858-687-8889'),(1036,'Hermione Granger','Hermione&Harry','ChosenOne@gmail.com','100-  
200-3000','505-152-5354'),(1033,'Janet Skizzy','Janet&Jose','sweetpumpkin@aol.com','111-  
222-3333','353-637-3839'),(1038,'Joe Biden','Joe&Trump','Last2POTUS'sEVER@america.gov','700-  
800-9000','606-162-6364'),(1042,'Lilpump','lil&pump','esgetit@gmail.com','101-  
112-1314','757-677-7879'),(1045,'Michael Jackson','Jackson&5','heeeheeeeee@aol.com','252-  
627-2829','909-192-9394'),(1035,'Old Man Jenkins','Jenkins','Oleteeter@hotmail.com','777-  
888-9999','454-647-4849'),(1039,'Snoop Doggy Dog','Snoop&Wiz','Welitboi@gmail.com','112-  
233-4455','656-667-6869'),(1037,'Squidward Tentacles','Squidward&Squillum','Fancyson@colorado.edu','400-  
500-6000','555-657-5859'),(1046,'Timone','Timone&Pumba','Hakunamatata@bugmail.org','303-  
132-3334','959-697-9899'); !/40000 ALTER TABLE contacts ENABLE KEYS  
/; UNLOCK TABLES;
```

---

– Table structure for table **employees**

---

```
DROP TABLE IF EXISTS employees; !/40101 SET @saved_cs_client =  
@@character_set_client /; !/50503 SET character_set_client =  
utf8mb4 /; CREATE TABLE employees ( employeeID int(11) NOT  
NULL AUTO_INCREMENT, name varchar(45) NOT NULL, class varchar(45)
```

```
DEFAULT NULL, wage int(11) NOT NULL, startDate date NOT NULL,
endDate date DEFAULT NULL, phone int(100) DEFAULT NULL, address
varchar(45) DEFAULT NULL, PRIMARY KEY (employeeID), UNIQUE
KEY name (name), KEY class (class), CONSTRAINT employees_ibfk_1
FOREIGN KEY (class) REFERENCES programs (program) ) EN-
GINE=InnoDB AUTO_INCREMENT=9 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client =
@saved_cs_client /;
```

---

– Dumping data for table `employees`

---

```
LOCK TABLES employees WRITE; /*!40000 ALTER TABLE employees
DISABLE KEYS /; INSERT INTO employees VALUES (1,'John
Doe','Tigers',25,'2016-10-21',NULL,1234578972,'123 Alphabet St.),(2,'Hulk
Hogan','Lil Ninjas',22,'2018-10-16',NULL,1567363432,'456 Park Pl.),(3,'Jake
Paul','Panthers',28,'2020-03-14',NULL,1789378475,'1 Broadway St.),(4,'Randy
Marsh','Adults',32,'2019-01-01',NULL,1985672833,'987 Arapahoe St.),(5,'Neil
Armstrong','Youth Masters',30,'2017-08-28',NULL,1765473920,'8756 College
Ave.),(6,'Lance Armstrong','All',34,'2015-05-06',NULL,1334455661,'234 Pearl
St.),(7,'Mike Tyson','Tigers',25,'2015-12-25','2016-10-21',1645392856,'75
Rocky Way),(8,'Jackie Chan','Intermediate/Advanced Panthers',40,'2017-02-
04',NULL,1645392802,'91210 Lala Ln.); /*!40000 ALTER TABLE employees
ENABLE KEYS /; UNLOCK TABLES;
```

---

– Table structure for table `events`

---

```
DROP TABLE IF EXISTS events; /*!40101 SET @saved_cs_client = @@charac-
ter_set_client /; /*!50503 SET character_set_client = utf8mb4 /; CREATE TA-
BLE events ( eventID int(11) NOT NULL AUTO_INCREMENT, eventName
varchar(45) NOT NULL, program varchar(45) NOT NULL, teacher varchar(45)
NOT NULL, date date NOT NULL, startTime time NOT NULL, endTime
time NOT NULL, capacity varchar(45) DEFAULT NULL, PRIMARY KEY
(eventID), KEY teacher (teacher), KEY program (program), CONSTRAINT
events_ibfk_1 FOREIGN KEY (teacher) REFERENCES employees (name),
CONSTRAINT events_ibfk_2 FOREIGN KEY (program) REFERENCES
programs (program) ) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT
CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET charac-
ter_set_client = @saved_cs_client /;
```

---

– Dumping data for table `events`

---

```
LOCK TABLES events WRITE; /*!40000 ALTER TABLE events DISABLE
```

```

KEYS /; INSERT INTO events VALUES (1,'Ninja Contest','Tigers','John
Doe','2020-12-24','11:30:00','13:30:00','20'),(2,'Belt Ceremony','All','Lance
Armstrong','2020-12-13','13:00:00','14:00:00',NULL),(3,'Dance Marathon','Adults','Randy
Marsh','2020-12-31','00:00:00','23:59:00','30'),(4,'Tournament','Youth Mas-
ters','Neil Armstrong','2021-01-15','10:00:00','16:00:00',NULL),(5,'Pizza
Party','Panthers','Jake Paul','2021-01-02','16:00:00','18:00:00','40'); /*!40000
ALTER TABLE events ENABLE KEYS /; UNLOCK TABLES;

```

---

– Table structure for table `library`

---

```

DROP TABLE IF EXISTS library; /*!40101 SET @saved_cs_client =
@@character_set_client /; /*!50503 SET character_set_client = utf8mb4
/; CREATE TABLE library ( document varchar(45) DEFAULT NULL,
file_type varchar(15) DEFAULT NULL, uploaded date DEFAULT NULL,
downloads int(11) DEFAULT NULL, Library_ID varchar(2) DEFAULT
NULL, program int(11) DEFAULT NULL, KEY progid_fk_idx (program),
CONSTRAINT progid_fk FOREIGN KEY (program) REFERENCES
programs (program_id) ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client =
@saved_cs_client /;

```

---

– Dumping data for table `library`

---

```

LOCK TABLES library WRITE; /*!40000 ALTER TABLE library DISABLE
KEYS /; INSERT INTO library VALUES ('Green Team','Word Doc','2020-05-
26',17,'L1',6),('Creative Forms','Word Doc','2020-02-16',5,'L2',6),('Mission State-
ment','Word Doc','2020-06-08',6,'L3',6),('Student Handbook','Word Doc','2020-
05-28',47,'L4',6),('2019 Schedule','Excel','2019-06-04',37,'L5',6),('Intent to Pro-
mote','Word Doc','2019-06-04',11,'L6',6); /*!40000 ALTER TABLE library
ENABLE KEYS /; UNLOCK TABLES;

```

---

– Table structure for table `memberships`

---

```

DROP TABLE IF EXISTS memberships; /*!40101 SET @saved_cs_client
= @@character_set_client /; /*!50503 SET character_set_client = utf8mb4
/; CREATE TABLE memberships ( MembershipID int(11) NOT NULL
AUTO_INCREMENT, MembershipName varchar(45) DEFAULT NULL,
Fees decimal(9,2) DEFAULT NULL, programID int(11) DEFAULT NULL,
programs varchar(15) DEFAULT NULL, PRIMARY KEY (MembershipID),
KEY progamName_FK_idx (programs), KEY progamid_fk_idx (programID),
CONSTRAINT progamid_fk FOREIGN KEY (programID) REFERENCES
programs (program_id) ) ENGINE=InnoDB AUTO_INCREMENT=17

```

```
DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101
SET character_set_client = @saved_cs_client /;
```

---

– Dumping data for table **memberships**

---

```
LOCK TABLES memberships WRITE; /*!40000 ALTER TABLE memberships
DISABLE KEYS /; INSERT INTO memberships VALUES (1,'12
Month',300.00,1,'Lil Ninjas'),(2,'12 Month',350.00,2,'Tigers'),(3,'12 Month',400.00,3,'Panthers'),(4,'12
Month',450.00,4,'Youth Masters'),(5,'12 Month',500.00,5,'Adults'),(6,'6
Month',160.00,1,'Lil Ninjas'),(7,'6 Month',185.00,2,'Tigers'),(8,'6 Month',215.00,3,'Panthers'),(9,'6
Month',240.00,4,'Youth Masters'),(10,'6 Month',265.00,5,'Adults'),(11,'1
Month',35.00,1,'Tigers'),(12,'1 Month',40.00,2,'Lil Ninjas'),(13,'1 Month',45.00,3,'Panthers'),(14,'1
Month',50.00,4,'Youth Masters'),(15,'1 Month',55.00,5,'Adults'); /*!40000 AL-
TER TABLE memberships ENABLE KEYS /; UNLOCK TABLES;
```

---

– Table structure for table **programs**

---

```
DROP TABLE IF EXISTS programs; /*!40101 SET @saved_cs_client =
@@character_set_client /; /*!50503 SET character_set_client = utf8mb4
/; CREATE TABLE programs ( program_ID int(11) NOT NULL, program
varchar(30) DEFAULT NULL, Age_Group varchar(10) DEFAULT NULL,
PRIMARY KEY (program_ID), KEY prog_idx (program) ) ENGINE=InnoDB
DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101
SET character_set_client = @saved_cs_client /;
```

---

– Dumping data for table **programs**

---

```
LOCK TABLES programs WRITE; /*!40000 ALTER TABLE programs
DISABLE KEYS /; INSERT INTO programs VALUES (1,'Lil Ninjas','3-4
y/o'),(2,'Tigers','5-6y/o'),(3,'Panthers','7-11y/o'),(4,'Adults','15+'),(5,'Youth
Masters','11-15y/o'),(6,'All','3+'),(7,'Intermediate/Advanced Panthers','7-11');
/*!40000 ALTER TABLE programs ENABLE KEYS /; UNLOCK TABLES;
```

---

– Table structure for table **prospects**

---

```
DROP TABLE IF EXISTS prospects; /*!40101 SET @saved_cs_client =
@@character_set_client /; /*!50503 SET character_set_client = utf8mb4
/; CREATE TABLE prospects ( idProspects int(11) NOT NULL
AUTO_INCREMENT, FirstName varchar(45) NOT NULL, LastName
varchar(45) DEFAULT NULL, Source varchar(45) NOT NULL, Status
varchar(45) NOT NULL, Gender varchar(10) NOT NULL, Age int(2) DE-
```

```

FAULT NULL, Birthdate date DEFAULT NULL, DateAdded date DEFAULT
NULL, PhoneNumber varchar(45) NOT NULL, SMSopt varchar(45) NOT
NULL, email varchar(150) DEFAULT NULL, Street varchar(45) DEFAULT
NULL, City varchar(45) DEFAULT NULL, State char(5) DEFAULT
NULL, zipcode int(5) DEFAULT NULL, programs varchar(50) DEFAULT
NULL, PRIMARY KEY (idProspects), KEY progpros_FK_idx (programs),
CONSTRAINT progpros_FK FOREIGN KEY (programs) REFERENCES
programs (program) ) ENGINE=InnoDB AUTO_INCREMENT=30 DE-
FAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!0101 SET
character_set_client = @saved_cs_client /;

```

---

– Dumping data for table **prospects**

---

```

LOCK TABLES prospects WRITE; /*!0000 ALTER TABLE prospects DIS-
ABLE KEYS /; INSERT INTO prospects VALUES (1,'Adam','Smith','Walk-
in','trial','Male',9,'2011-07-18','2019-01-05','3032004127','FALSE','daven@gmail.com','309
2nd Ave','Louisville','CO',80027,'Panthers'),(2,'Willock','Smith','School
Website','appointment','Male',12,'2008-01-01','2019-01-09','3032026802','FALSE','sherlockHol@gmail.com','2855
Rock Creek','Louisville','CO',80027,'Youth Masters'),(3,'Jack','Smith','School
Website','lead','Male',11,'2009-05-01','2019-01-10','3032045674','FALSE','lilpedro@gmail.com','756
W Birch Ct','Louisville','CO',80027,'Panthers'),(4,'Sarah','Smith','School
Website','lead','Female',9,'2011-08-01','2019-01-10','3032064951','FALSE','michelle.ofama@gmial.com','1046
Monroe Way','Louisville','CO',80027,'Panthers'),(5,'WoodWard','Smith','School
Website','lead','Male',7,'2013-01-18','2019-01-15','3032529146','FALSE','jack.randal@gmail.com','35
Vian Dr.','Lafayette','CO',80026,'Panthers'),(6,'Jane','Smith','School Website','lead','Female',5,'2015-
01-13','2019-01-15','3032572697','FALSE','senior@gmail.com','924 Van-
couver Dr.','Lafayette','CO',80026,'Tigers'),(7,'Joseph','Smith','School
Website','lead','Male',8,'2012-10-04','2019-01-29','3032598488','FALSE','corona@gmail.com','445
Mouse Trail','Lafayette','CO',80026,'Panthers'),(8,'Allan','Smith','School
Event','lead','Male',8,'2012-07-16','2019-01-29','3032611584','FALSE','coors@gmail.com','452
Roosevelt Jump','Lafayette','CO',80026,'Panthers'),(9,'Ryan','Smith','School
Event','lead','Male',14,'2006-03-06','2019-01-29','3032633626','FALSE','Rhino55@gmail.com','135
S. Moose Ave.','Lafayette','CO',80026,'Youth Masters'),(10,'Ricky','Smith','School
Event','lead','Male',11,'2009-10-22','2019-01-29','3032633626','FALSE','Rhino55@gmail.com','135
S. Moose Ave.','Lafayette','CO',80026,'Panthers'),(11,'Emily','Smith','School
Event','lead','Female',5,'2015-04-30','2019-01-29','3032689861','FALSE','mando.fango@gmail.com','677
Tacoaway','Lafayette','CO',80026,'Tigers'),(12,'Dwayne','Smith','School
Event','lead','Male',7,'2012-12-10','2019-01-29','3032745698','FALSE','mando.fango@gmail.com','677
Tacoaway','Lafayette','CO',80026,'Panthers'),(13,'Isabella','Smith','School
Event','lead','Female',19,'2001-09-17','2019-01-29','3032786640','FALSE','shytown@gmail.com','73892
Ranover Dr.','Golden','CO',80403,'Adults'),(14,'Zoe','Smith','School Event','lead','Female',8,'2012-
04-19','2019-01-29','3032808393','FALSE','HtwoO@gmail.com','2145 Night
Dr.','Longmont','CO',80504,'Panthers'),(15,'Raymond','Smith','School
Event','lead','Male',14,'2006-01-01','2019-01-29','3032844992','FALSE','Rundmz@gmail.com','324
Take Rd.','Louisville','CO',80027,'Youth Masters'),(16,'Julia','Smith','School

```

Event', 'lead', 'Female', 25, '1995-01-01', '2019-01-29', '3032908817', 'FALSE', 'jack.preach@gmail.com', '920  
Arapahoe Ct.', 'Louisville', 'CO', 80027, 'Adults'), (17, 'Ria', 'Smith', 'School  
Event', 'lead', 'Female', 20, '2000-01-01', '2019-01-29', '3032945579', 'FALSE', 'mckenzie@gmail.com', '13328  
Briarwood Dr.', 'Broomfield', 'CO', 80020, 'Adults'), (18, 'Alex', 'Smith', 'School  
Website', 'appointment', 'Male', 17, '2003-01-01', '2019-01-29', '3032958124', 'FALSE', 'fomo@gmail.com', '4360  
New England', 'Broomfield', 'CO', 80020, 'Adults'), (19, 'Stephen', 'Smith', 'School  
Event', 'lead', 'Male', 6, '2014-01-01', '2019-01-29', '3032983273', 'FALSE', 'ggplot@gmail.com', '563  
Miao Dr.', 'Longmont', 'CO', 80504, 'Tigers'), (20, 'Michael', 'Smith', 'Walk-  
in', 'lead', 'Male', 12, '2008-05-13', '2019-02-09', '3032992771', 'FALSE', '2020elections@gmail.com', '743  
Sunset Dr. ', 'Lafayette', 'CO', 80026, 'Youth Masters'), (21, 'Jordan', 'Smith', 'School  
Website', 'lead', 'Male', 7, '2013-08-21', '2019-03-02', '3033006381', 'FALSE', 'angrybirds@gmail.com', '436  
Bryant St.', 'Broomfield', 'CO', 80020, 'Panthers'), (22, 'Sophie', 'Smith', 'School  
Event', 'lead', 'Female', 7, '2013-01-07', '2019-03-02', '3033017972', 'FALSE', 'athena@gmail.com', '494  
Lebron Ave.', 'Broomfield', 'CO', 80020, 'Panthers'), (23, 'Moe', 'Smith', 'School  
Website', 'lead', 'Male', 6, '2013-12-23', '2019-03-02', '3033025423', 'FALSE', 'dr.miao@gmail.com', '453  
Jordan Rd.', 'Broomfield', 'CO', 80020, 'Tigers'), (24, 'Shawn', 'Smith', 'School  
Website', 'lead', 'Male', 25, '1995-01-01', '2019-03-02', '3033120606', 'FALSE', 'Paco@gmail.com', '874  
Hakeem Dr.', 'Broomfield', 'CO', 80020, 'Adults'), (25, 'David', 'Smith', 'School  
Website', 'lead', 'Male', 8, '2012-07-05', '2019-04-23', '3033159749', 'FALSE', 'jessicarawr@gmail.com', '252  
Row plaza', 'Lafayette', 'CO', 80026, 'Panthers'), (26, 'Karin', 'Smith', 'School  
Website', 'lead', 'Female', 6, '2014-01-01', '2019-04-23', '3033178472', 'FALSE', 'jessicarawr@gmail.com', '252  
Row plaza', 'Lafayette', 'CO', 80026, 'Tigers'), (27, 'Karim', 'Smith', 'Student  
Referral', 'lead', 'Male', 9, '2011-01-22', '2019-06-06', '3033191841', 'FALSE', 'Redminx@gmail.com', '253  
S. Briar Dr.', 'Lafayette', 'CO', 80026, 'Panthers'), (28, 'Khaled', 'Smith', 'School  
Event', 'lead', 'Male', 13, '2010-07-12', '2019-06-12', '3033213412', 'FALSE', 'dj893@gmail.com', '3634  
E. Canyon Cove', 'Lafayette', 'CO', 80026, 'Youth Masters'), (29, 'Laura', 'Smith', 'School  
Website', 'lead', 'Female', 10, '2010-01-01', '2019-07-16', '3033239240', 'FALSE', 'vanderfelt\_woof@gmail.com', '4636  
Hurricane Dr.', 'Lafayette', 'CO', 80026, 'Panthers'); *!/40000 ALTER TABLE  
prospects ENABLE KEYS /*; UNLOCK TABLES;

---

– Table structure for table **students**

---

```
DROP TABLE IF EXISTS students; !/40101 SET @saved_cs_client =
@@character_set_client /; !/50503 SET character_set_client = utf8mb4 /;
CREATE TABLE students ( ID int(11) NOT NULL, FirstName varchar(45)
NOT NULL, ClassID int(11) DEFAULT NULL, MembershipID int(11)
DEFAULT NULL, LastName varchar(45) NOT NULL, PhoneNumber varchar(45)
NOT NULL, School varchar(50) DEFAULT NULL, StudentSource varchar(45)
DEFAULT NULL, Gender varchar(10) DEFAULT NULL, Age int(3) DEFAULT
NULL, Birthdate date DEFAULT NULL, BeltSize varchar(10) DEFAULT
NULL, Programs varchar(50) DEFAULT NULL, CurrentRanks varchar(50)
DEFAULT NULL, Emails varchar(150) DEFAULT NULL, SendSMS varchar(10)
DEFAULT NULL, Street varchar(45) DEFAULT NULL, City varchar(45)
DEFAULT NULL, State char(2) DEFAULT NULL, Zip int(5) DEFAULT
NULL, DateAdded date DEFAULT NULL, IsActive varchar(3) NOT NULL,
```



```

InactivatedOn date DEFAULT NULL, ConvertedToStudent datetime
DEFAULT NULL, PRIMARY KEY (ID), KEY idx_lastname (LastName),
KEY memID_fk_idx (MembershipID), KEY prog_Fk_idx (Programs), KEY
classFK_idx (ClassID), CONSTRAINT classFK FOREIGN KEY (ClassID)
REFERENCES classes (idclassschedule), CONSTRAINT memID_FK FOR-
EIGN KEY (MembershipID) REFERENCES memberships (membershipid),
CONSTRAINT prog_Fk FOREIGN KEY (Programs) REFERENCES
programs (program) ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client =
@saved_cs_client /;

```

---

– Dumping data for table students

---

```

LOCK TABLES students WRITE; /*!40000 ALTER TABLE students DIS-
ABLE KEYS /; INSERT INTO students VALUES (1033,'Gavin',7,2,'Smith','555-
555-5555','public school','None','Male',6,'2014-01-20','00','Tigers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Louisville','CO',80027,'2020-
01-24','Yes','2031-01-13','2025-01-14 04:23:23'),(1034,'Elias',7,2,'Smith','555-555-
5555','public school','Student Referral','Male',6,'2014-07-17','00','Tigers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Lafayette','CO',80026,'2020-
01-24','Yes','2031-01-12','2025-01-13 04:23:23'),(1035,'Konrad',7,7,'Smith','555-
555-5555','public school','None','Male',6,'2013-12-09','00','Tigers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Lafayette','CO',80026,'2020-
01-31','Yes','2031-01-11','2025-01-12 04:23:23'),(1036,'Homer',7,11,'Smith','555-
555-5555','public school','None','Male',6,'2014-01-14','00','Tigers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Lafayette','CO',80026,'2020-
02-12','Yes','2031-01-10','2025-01-11 04:23:23'),(1037,'Matej',7,11,'Smith','555-
555-5555','public school','None','Male',6,'2014-03-05','00','Tigers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Lafayette','CO',80026,'2020-
02-12','Yes','2031-01-09','2025-01-10 04:23:23'),(1038,'Daniel',8,8,'Smith','555-
555-5555','public school','None','Male',10,'2010-03-11','1','Panthers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Lafayette','CO',80026,'2020-
02-20','Yes','2031-01-08','2025-01-09 04:23:23'),(1039,'Alexander',8,3,'Smith','555-
555-5555','public school','None','Male',11,'2008-12-27','0','Panthers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Louisville','CO',80027,'2020-
02-25','Yes','2031-01-07','2025-01-08 04:23:23'),(1041,'Alicia',7,11,'Smith','555-
555-5555','public school','None','Female',5,'2015-08-01','00','Tigers','White
Belt','yippeekaiyay@bruce.net','Yes','123 Some St','Louisville','CO',80027,'2020-
09-11','Yes','2031-01-05','2025-01-06 04:23:23'),(1042,'Nitika',10,4,'Smith','555-
555-5555','public school','None','Female',14,'2006-04-04','00','Youth Mas-
ters','White Belt','yippeekaiyay@bruce.net','Yes','123 Some St','Broomfield','CO',80023,'2020-
09-14','Yes','2031-01-04','2025-01-05 04:23:23'),(1043,'James',8,13,'Smith','555-
555-5555','public school','None','Male',7,'2013-08-09','1','Panthers','Yellow
Belt','yippeekaiyay@bruce.net','No','123 Some St','Louisville','CO',80027,'2020-
10-07','Yes','2031-01-03','2025-01-04 04:23:23'),(1044,'Benjamin',7,2,'Smith','555-

```

```

555-5555','public school','None','Male',5,'2015-06-24','0','Tigers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Broomfield','CO',20023,'2020-
10-07','Yes','2031-01-02','2025-01-03 04:23:23'),(1045,'Charles',8,3,'Smith','555-
555-5555','public school','None','Male',10,'2010-03-04','1','Panthers','White
Belt','yippeekaiyay@bruce.net','No','123 Some St','Erie','CO',80516,'2020-10-
08','Yes','2031-01-01','2025-01-02 04:23:23'),(1046,'Isaiah',13,15,'Smith','555-
555-5555','public school','None','Male',18,'2002-01-01','0','Adults','White
Belt','yippeekaiyay@bruce.net','Yes','123 Some St','CO',80024,'2020-
10-21','Yes','2030-12-31','2025-01-01 04:23:23'); /*!40000 ALTER TA-
BLE students ENABLE KEYS /; UNLOCK TABLES; /*!40103 SET
TIME_ZONE=@OLD_TIME_ZONE /;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE /; /*!40014 SET FOR-
EIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS /; /*!40014 SET
UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS /; /*!40101 SET CHARAC-
TER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT /; /*!40101 SET
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS /;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION
/; /*!40111 SET SQL_NOTES=@OLD_SQL_NOTES /;

```

– Dump completed on 2020-12-06 22:30:46